



commercial catalogue / 2022

**ceado**  
barcult ●

# do perfect circles exist?

They can occur naturally in planets, celestial bodies, tree rings, rain drops. Men can make perfect circles too: think of a basketball or a great pizza.

**But there is a nuance to what our eyes see as a circle.**





**we make  
circles**

And all we care about is paying attention to that little nuance that creates **perfection.**

think strong, work better

**ceado.**

ceadolab.  
make the future



## Juice Fit


En Meticulous attention has been paid to the design, to ensure **minimal waste and best performance**, for even the hardest to juice leafy vegetables.

“Ricerca maniacale nel design per **minimizzare gli sprechi, garantendo la resa migliore** anche dall'estrazione del succo da vegetali in foglia.



## Silent System


Sound level comparison



En Work at the bar **has never been so quiet!** The design and engineering of Ceado units work so efficiently that you will not even realize they are in operation.

“Lavorare al bar **non è mai stato così silenzioso!** Il design e l'ingegneria delle unità Ceado lavorano in maniera talmente efficiente che ti sembrerà di non averle accese.





Download  
the official  
Ceado  
Barcult app



# Blender App Control

En **Ceado Barcult blender app** allows the programming of automatic cycles, straight from a smartphone or tablet. Endless recipes to create and share, to optimise work and improve the production of mixes or bases for cocktails.


It **Ceado Barcult blender app** consente la programmazione dei cicli automatici, direttamente da smartphone o tablet. Infinite ricette, da creare e condividere, per ottimizzare il lavoro e migliorare la produzione di miscele o basi per cocktail.



## Dynamic Spin

En The experience of Ceado in the blender sector has allowed for the development of **specific designs for blades and pressing systems**, capable of balancing the consistency of any preparation, associating it to **high production performance**.

It L'esperienza Ceado nel settore dei blender ha permesso di sviluppare **design specifici, per lame e sistemi di pressatura**, capaci di equilibrare la consistenza di ogni preparazione, associando **alte performance produttive**.



# FRESH JUICERS



# ES900

FRESH JUICE EXTRACTOR



## On-counter

Easy to switch between through the counter and on-counter use



FRESH JUICE EXTRACTOR

# ES900

HIGH TURNOVER  
JUICE BARS



## Technical data

|                                   |                     |
|-----------------------------------|---------------------|
| <b>Voltage / Alimentazione</b>    | 220-240V · 50-60 hz |
| <b>Power / Motore</b>             | 1000 W              |
| <b>Rpm 50hz / 60hz</b>            | 3000 / 3600         |
| <b>Net weight / Peso netto</b>    | 23,0 kg             |
| <b>Gross weight / Peso lordo</b>  | 27,0 kg             |
| <b>Dimensions</b>                 | 290 x 538 x 530h mm |
| <b>Feed Chute / Diametro tubo</b> | ø 50 mm - ø 75 mm   |

*Note: Additional voltage models available.*



**Over 20kg  
of fruit and  
vegetables  
a day**

## Features

- Through the counter easy adapter**  
/ Adattatore per espulsione attraverso il bancone
- Pulp Retainer**
- Silent system**
- Magnetic Control**
- Non-stop service** / Operatività non-stop
- Dishwashing quick and easy**  
/ Lavaggio rapido in lavastoviglie
- Easy assembling** / Assemblaggio facile
- Light alloy body** / Corpo in lega leggera





# ES700

FRESH JUICE EXTRACTOR





**Pulp  
retainer  
for  
genuine  
juice**

**Wash & go!  
No tool  
required**



FRESH JUICE EXTRACTOR

# ES700

HIGH TURNOVER  
JUICE BARS



**Over 10kg  
of fruit and  
vegetables  
a day**

## Technical data

|                                   |                     |
|-----------------------------------|---------------------|
| <b>Voltage</b> / Alimentazione    | 220-240V · 50-60 hz |
| <b>Power</b> / Motore             | 800 W               |
| <b>Rpm 50hz / 60hz</b>            | 3000 / 3600         |
| <b>Net weight</b> / Peso netto    | 19,2 kg             |
| <b>Gross weight</b> / Peso lordo  | 21,5 kg             |
| <b>Dimensions</b>                 | 290 x 538 x 512h mm |
| <b>Feed Chute</b> / Diametro tubo | ø 50 mm - ø 75 mm   |

## Features

- Pulp Retainer**
- Silent system**
- Magnetic Control**
- Non-stop service** / Operatività non-stop
- Dishwashing quick and easy** /  
Lavaggio rapido in lavastoviglie
- Easy assembling** / Assemblaggio facile
- Light alloy body** / Corpo in lega leggera

*Note: Additional voltage models available.*



# ES500

FRESH JUICE EXTRACTOR





Dishwashing  
is quick  
and easy



75mm  
diameter,  
no chopping  
or peeling  
required

FRESH JUICE EXTRACTOR

# ES500



MEDIUM TURNOVER  
JUICE BARS



Up to 10kg  
of fruit  
a day

## Technical data

|                                   |                     |
|-----------------------------------|---------------------|
| <b>Voltage</b> / Alimentazione    | 220-240V · 50-60 hz |
| <b>Power</b> / Motore             | 700 W               |
| <b>Rpm 50hz / 60hz</b>            | 3000 / 3600         |
| <b>Net weight</b> / Peso netto    | 14,4 kg             |
| <b>Gross weight</b> / Peso lordo  | 16,4 kg             |
| <b>Dimensions</b>                 | 242 x 495 x 512h mm |
| <b>Feed Chute</b> / Diametro tubo | ø 75 mm             |

## Features

- Pulp Retainer**
- Silent system**
- Magnetic Control**
- Non-stop service** / Operatività non-stop
- Dishwashing quick and easy** /  
Lavaggio rapido in lavastoviglie
- Easy assembling** / Assemblaggio facile
- Light alloy body** / Corpo in lega leggera

Note: Additional voltage models available.



# Make great profits with the Ceado #juicebusiness



## Hey Barista, don't sleep!

En Freshly squeezed juice generates more profit than bottled juice.

Il succo fresco genera più profitti rispetto al succo in bottiglietta.

Ceado juicebusiness



Bottled juice



| Juices x day | Return on investment | Business target  |
|--------------|----------------------|------------------|
| 10           | 8 weeks              | Entry level      |
| 20           | 4 weeks              | Small BAR        |
| 30           | 2 weeks              | Medium Juice BAR |

## Fast profits


En By selling only 10 juice servings per day, your investment is recovered in just 8 weeks. **A medium size bar, with 30 juice servings per day, can start looking at its profits in just about 2 weeks!**

Con solo 10 succhi al giorno rientri dall'investimento in appena 8 settimane. **La produzione di un medio juice bar è di 30 succhi al giorno, in sole 2 settimane puoi iniziare a realizzare profitti!**

## Healthy Lifestyle

En The market is looking more and more toward natural and healthy beverages, freshly made. **Ceado Juice Fit extracts the juice at low temperature, therefore preserving all natural vitamins.**

Il mercato richiede sempre più bevande naturali e salutari, il **Juice Fit Ceado estrae il succo a bassa temperatura preservando tutte le vitamine naturali.**



# Easy recipes!

<sup>En</sup>The necessary ingredients are few and inexpensive. To mix them in order to produce lots of recipes is easy and quick!

<sup>It</sup>Gli ingredienti da usare sono pochi ed economici. Combinarli per creare tante ottime ricette è facile e veloce.



## 1 serving 300ml



### Tonic

150gr Oranges, 200gr Apple, 200gr Carrots.



### Classic

200gr Apple, 200gr Carrots, 2cm Ginger root.



### Detox

100gr Leafy greens, 200gr Apples, 200gr Carrots, 2cm Ginger root.



### Green

500gr Leafy greens.



### Zest

200gr Apples, 150gr Lemons, 200gr Leafy greens.



<sup>En</sup>Fruit juices described here are the most requested and profitable, but with Ceado Juicers, many other recipes are available. We recommend using seasonal produce, locally grown.

<sup>It</sup>I succhi freschi qui descritti sono i più richiesti e redditizi, ma con i Juicers Ceado sono realizzabili tante altre ricette. Consigliamo i prodotti di stagione e a km zero.

# CPT50

COLD PRESS JUICER





**Anti-blocking  
mesh filter**



**High  
yield  
pressing**



COLD PRESS JUICER

# CP150

FRUITS, VEGGIES  
AND NUTS



**1 juice jug  
and 1 pulp jug  
included**

## Technical data

|                                   |                     |
|-----------------------------------|---------------------|
| <b>Voltage</b> / Alimentazione    | 220-240V · 50-60 hz |
| <b>Power</b> / Motore             | 400 W               |
| <b>Rpm 50hz / 60hz</b>            | 70 rpm              |
| <b>Net weight</b> / Peso netto    | 15,5 kg             |
| <b>Gross weight</b> / Peso lordo  | 17,5 kg             |
| <b>Dimensions</b>                 | 180 x 400 x 465h mm |
| <b>Feed Chute</b> / Diametro tubo | ø 60 mm             |

## Features

- Silent system**
- Magnetic Control**
- Non-stop service/** Operatività non-stop
- Anti dripping drum cap**  
/ Guscio anti sgocciolatura
- Dishwashing quick and easy**  
/ Lavaggio rapido in lavastoviglie
- Easy assembling** / Assemblaggio facile
- Stainless steel body**  
/ Corpo in acciaio inossidabile

*Note: Additional voltage models available.*





# BLENDERS





# b.stronger

new blenders squad



# The new range of **high-performance** blenders

En **More powerful blenders**  
for high demanding  
professionals.

- Jugs designed for higher quality drinks.
- Renewed design, essential and sleek.
- A range of five blenders for every need.

**Ceado Barcult, a squad for professionals**

**La nuova offerta di blender Ceado Barcult ad alte prestazioni.**

**Blender più potenti**  
per i professionisti più esigenti.

- Bicchieri disegnati per una maggiore qualità delle preparazioni.
- Design rinnovato, essenziale ed elegante.
- Una gamma di 5 blender per ogni tipo di esigenza.



# B285 silent


BLENDER



Made to lower noise thanks to the Silent System cover



Download the official Ceado Barcult app



BLENDER

# B285 silent

## B285 Technical data

|                                  |                                    |
|----------------------------------|------------------------------------|
| <b>Voltage / Alimentazione</b>   | 220-240V · 50-60 hz                |
| <b>Power / Motore</b>            | 1700 W                             |
| <b>Rpm 50hz / 60hz</b>           | 3000-28000 rpm                     |
| <b>Net weight / Peso netto</b>   | 8,8 kg                             |
| <b>Gross weight / Peso lordo</b> | 9,7 kg                             |
| <b>Dimensions</b>                | 195 x 220 x 470h mm<br>(600h open) |

## B285IC Technical data

|                                  |                                    |
|----------------------------------|------------------------------------|
| <b>Voltage / Alimentazione</b>   | 220-240V · 50-60 hz                |
| <b>Power / Motore</b>            | 1700 W                             |
| <b>Rpm 50hz / 60hz</b>           | 3000-28000 rpm                     |
| <b>Net weight / Peso netto</b>   | 8,4 kg                             |
| <b>Gross weight / Peso lordo</b> | 9,5 kg                             |
| <b>Dimensions</b>                | 195 x 315 x 330h mm<br>(460h open) |

Note: Additional voltage models available.



B285



B285IC

## Features

**New powerful motors**

**App automatic cycles / App cicli automatici**

**Dynamic Spin**

**Juice Fit Design**

**Silent system**

**Manual mode / Funzionamento manuale**

**Square 1.5l jug / Contenitore quadrangolare 1,5l**




# B284

# feel

BLENDER





BLENDER

# B284 feel



## Technical data

|                                  |                     |
|----------------------------------|---------------------|
| <b>Voltage</b> / Alimentazione   | 220-240V · 50-60 hz |
| <b>Power</b> / Motore            | 1700 W              |
| <b>Rpm 50hz / 60hz</b>           | 1500 / 28000        |
| <b>Net weight</b> / Peso netto   | 4,9 kg              |
| <b>Gross weight</b> / Peso lordo | 5,8 kg              |
| <b>Dimensions</b>                | 195 x 180 x 470h mm |

*Note: Additional voltage models available.*

## Features

**New powerful motors**

**Dynamic Spin**

**Juice Fit Design**

**Manual mode** / Funzionamento manuale

**Square 1.5l jug**

/ Contenitore quadrangolare 1,5l



# B283 tech


BLENDER



Download  
the official  
Ceado  
Barcult app







BLENDER

# B283 tech

## Technical data

|                                  |                     |
|----------------------------------|---------------------|
| <b>Voltage / Alimentazione</b>   | 220-240V - 50-60 hz |
| <b>Power / Motore</b>            | 1700 W              |
| <b>Rpm 50hz / 60hz</b>           | 3000 / 28000        |
| <b>Net weight / Peso netto</b>   | 4,9 kg              |
| <b>Gross weight / Peso lordo</b> | 5,8 kg              |
| <b>Dimensions</b>                | 195 x 180 x 450h mm |

*Note: Additional voltage models available.*



## Features

**New powerful motors**

**App automatic cycles**

/ App cicli automatici

**Dynamic Spin**

**Juice Fit Design**

**Manual mode / Funzionamento manuale**

**Square 1,5l jug**

/ Contenitore quadrangolare 1,5l



# B280 special

BLENDER





BLENDER

# B280 special



## Technical data

|                                  |                     |
|----------------------------------|---------------------|
| <b>Voltage</b> / Alimentazione   | 220-240V · 50-60 hz |
| <b>Power</b> / Motore            | 1700 W              |
| <b>Rpm 50hz / 60hz</b>           | 15000 / 23000       |
| <b>Net weight</b> / Peso netto   | 4,9 kg              |
| <b>Gross weight</b> / Peso lordo | 5,8 kg              |
| <b>Dimensions</b>                | 195 x 180 x 450h mm |

*Note: Additional voltage models available.*

## Features

**New powerful motors**

**Dynamic Spin**

**Juice Fit Design**

**Speed selection** / Selezione della velocità

**Pulse mode** / Modalità impulso


**1,5l container** / Contenitore 1,5l



# B185 barman

BLENDER





BLENDER

# B185 barman



## Technical data

|                                  |                     |
|----------------------------------|---------------------|
| <b>Voltage</b> / Alimentazione   | 220-240V · 50-60 hz |
| <b>Power</b> / Motore            | 1300 W              |
| <b>Rpm 50hz / 60hz</b>           | 15000 / 23000       |
| <b>Net weight</b> / Peso netto   | 4,9 kg              |
| <b>Gross weight</b> / Peso lordo | 5,8 kg              |
| <b>Dimensions</b>                | 195 x 180 x 470h mm |

## Features

**New powerful motors**

**Dynamic Spin**

**Juice Fit Design**

**Speed selection** / Selezione della velocità

**Pulse mode** / Modalità impulso

**1,5l container** / Contenitore 1,5l

*Note: Additional voltage models available.*



# BAR EQUIPMENT



# V90

ICE CRUSHERS



## ICE CRUSHERS

# V90



### Work better

“One cocktail at a time or an output of 120 kg/h. V90 allows operators to work as is most convenient for them depending on the time of day, serving customers instantly or preparing the crushed ice in advance.

“Un cocktail per volta o una produttività da 120 kg/h. V90 consente di lavorare nel modo più comodo a seconda dei momenti della giornata, servendo il cliente all'istante o preparandosi prima il ghiaccio frantumato.



## ICE CRUSHERS

# V100



“The high-performance commercial ice crusher. The all-stainless steel V100 can crush 6kg ice in one minute, putting it at the top of its category. It is designed to work in all safety for the operator thanks to the double automatic shut-off system, which activates upon lifting the lid or upon removing the crushed ice tray.

“Il rompighiaccio professionale ad alte prestazioni. Costruito completamente in acciaio inossidabile V100 può frantumare 6kg di ghiaccio in un minuto ponendosi ai massimi livelli della categoria. Progettato per lavorare in condizioni di assoluta sicurezza per l'operatore grazie al doppio sistema di spegnimento automatico che si attiva sollevando il coperchio o rimuovendo il cassetto di raccolta del ghiaccio tritato.

## ICE CRUSHERS

# G30



“The classic ice crusher to obtain fine ice crystals, to prepare syrup based granitas or refreshing drinks. Light alloy for the motor housing, hopper, lever and blade holder; stainless steel for the crushed ice container and blade. The 300W asynchronous motor with thermal cut-out guarantees continuous duty at any time of day. The safety system, activated by lifting the lever, ensures that the operator works in all safety.

“Il tritagliaccio classico per ottenere il ghiaccio fine, per la preparazione di granite a base di sciroppo o drink rinfrescanti. Lega leggera per corpo motore, tramoggia, leva e disco porta lama. Acciaio inossidabile per vasca raccogli ghiaccio e lama. Il motore asincrono da 300W termoprotetto garantisce continuità di lavoro in ogni momento della giornata. Il sistema di sicurezza che si attiva sollevando la leva garantisce condizioni di sicurezza per l'operatore.

## Technical data

**Voltage** 220-240V · 50-60 hz

**Power / Motore** 150 W

**Rpm 50hz / 60hz** 900rpm

**Net weight** 3,9 kg

**Gross weight** 5,0 kg

**Dimensions** 210 x 230 x 460h mm

**Voltage** 220-240V · 50-60 hz

**Power / Motore** 300 W

**Rpm 50hz / 60hz** 68 rpm

**Net weight** 15,5 kg

**Gross weight** 16,8 kg

**Dimensions** 240 x 340 x 470h mm

**Voltage** 220-240V · 50-60 hz

**Power / Motore** 300 W

**Rpm 50hz / 60hz** 1400 rpm

**Net weight** 8,7 kg

**Gross weight** 10,8 kg

**Dimensions** 210 x 450 x 430h mm



# M98

MIXERS

En **0.9l stainless steel  
container**  
COMMERCIAL  
MILK-SHAKER

It **Contenitore in  
acciaio inox 0,9l**  
COMMERCIAL  
MILK-SHAKER



## M98



EnThe two agitators consist of a **double and a single whisk** made of white composite.

ItI due agitatori sono costituiti da una **doppia e una singola ventola** in composito bianco.

## M98/2



EnThe same features as the model M98 multiplied by two. The **possibility of preparing two different recipes simultaneously** thanks to two 300W motors, which operate independently.

ItLe stesse caratteristiche del modello M98 con la **possibilità di preparare contemporaneamente** due diverse ricette grazie ai due motori da 300W che agiscono in maniera indipendente.

## MP98



EnM98 wall-mounted version, **without the supporting base**. Practical and compact, it may be easily wall-mounted in any premises, even in bars or workshops where space is at a premium.

ItM98 in **versione pensile**, dotato di supporto per il montaggio a parete. Pratico e compatto, con misure contenute, si adatta facilmente ad ogni locale, anche di piccole dimensioni.

## M98T



## M98T/2



## MP98T



### Technical data

**Voltage** 220-240V · 50-60 hz

**Power / Motore** 300 W

**Rpm 50hz / 60hz** 15000rpm

**Net weight** 3,7 kg

**Gross weight** 4,5 kg

**Dimensions** 180 x 210 x 485h mm

**Voltage** 220-240V · 50-60 hz

**Power / Motore** 300+300 W

**Rpm 50hz / 60hz** 15000 rpm

**Net weight** 6,7 kg

**Gross weight** 7,7 kg

**Dimensions** 310 x 210 x 485h mm

**Voltage** 220-240V · 50-60 hz

**Power / Motore** 300 W

**Rpm 50hz / 60hz** 15000 rpm

**Net weight** 2,9 kg

**Gross weight** 3,8 kg

**Dimensions** 100 x 150 x 440h mm

SOFTICE CREAM MIXERS

# M105

EN **LOW SPEED MIXER**  
to prepare recipes  
based on soft ice cream  
or frozen yogurt

IT **MIXER A BASSA VELOCITÀ**  
per la miscelazione di  
ricette a base di gelato  
soft o frozen yogurt



SOFT ICE CREAM MIXER

## M105



Removable agitator shaft for **use with spoons is available** (spoons not included). The mixing shaft turns at **low speed** (1400rpm) for better blending of ingredients and preventing the ice cream or yogurt from melting or separating out. Starting from an ice cream or frozen yogurt base and adding the desired condiments, new recipes can be mixed in less than thirty seconds or new flavours offered also by incorporating different ingredients.

L'albero miscelatore è disponibile anche nella **versione per cucchiaino monodose** (cucchiai non inclusi). La **bassa velocità** del miscelatore consente una perfetta miscelazione degli ingredienti ed evita che il gelato o lo yogurt si sciolga o si disaggreghi. Partendo da una base gelato neutra o frozen yogurt ed aggiungendo la guarnitura preferita, in meno di 30 secondi si possono miscelare nuove ricette o proporre nuovi gusti.

COMBINED UNITS

## G110



G110 is the solution that incorporates **several machines in one product**. Three appliances with the advantage of concentrating the work area into a small space. Ice-shaver, an automatic citrus juicer and a blender combined together. **Light alloy cast body. Separate motors:** asynchronous for ice-shaver and juicer, and universal for blender.

G110 è la soluzione che aggrega **più macchine in uno stesso prodotto**. Tre servizi raccolti in un unico prodotto, con il vantaggio di concentrare la zona di lavoro in poco spazio. Tritaghiaccio, spremiagrumi a leva e frullatore. **Struttura in lega leggera lucida. Motori indipendenti:** asincroni su tritaghiaccio e spremiagrumi, universale sul frullatore.

ICE CREAM PRESS

## QS1



This is the press for easily shaping ice cream. Made in **light alloy**, it is reliable and safe thanks to the reinforced nylon gears that do not rust and remain intact even after a long period of use. QS1 comes complete with **insert for preparing spaghetti ice cream**. A full range of accessories for preparing many other shapes is available on request.

È la pressa per modellare il gelato con facilità. Costruito in **lega leggera**, è affidabile e sicuro grazie agli ingranaggi in nylon rinforzato che si mantengono compatti anche dopo molto tempo e non creano problemi di ossidazione. QS1 viene fornito completo di **trafila per la preparazione di spaghetti gelato**. A richiesta è disponibile una gamma completa di accessori con cui si possono preparare molte altre varianti.

### Technical data

|                        |                     |                        |                     |                        |                     |
|------------------------|---------------------|------------------------|---------------------|------------------------|---------------------|
| <b>Voltage</b>         | 220-240V · 50-60 hz | <b>Voltage</b>         | 220-240V · 50-60 hz | <b>Voltage</b>         | N/A                 |
| <b>Power / Motore</b>  | 250 W               | <b>Power / Motore</b>  | 300+300+900 W       | <b>Power / Motore</b>  | N/A                 |
| <b>Rpm 50hz / 60hz</b> | 1400rpm             | <b>Rpm 50hz / 60hz</b> | N/A                 | <b>Rpm 50hz / 60hz</b> | N/A                 |
| <b>Net weight</b>      | 8,0 kg              | <b>Net weight</b>      | 21,5 kg             | <b>Net weight</b>      | 2,5 kg              |
| <b>Gross weight</b>    | 9,3 kg              | <b>Gross weight</b>    | 23,0 kg             | <b>Gross weight</b>    | 3,5 kg              |
| <b>Dimensions</b>      | 250 x 175 x 540h mm | <b>Dimensions</b>      | 330 x 530 x 480h mm | <b>Dimensions</b>      | 180 x 390 x 545h mm |

# S98 SL98

CITRUS JUICERS





The stainless steel universal reamer



Two interchangeable reamers



## CITRUS JUICERS

# S98 - SL98

### S98 Technical data

|                                   |                     |
|-----------------------------------|---------------------|
| <b>Voltage / Alimentazione</b>    | 220-240V · 50-60 hz |
| <b>Power / Motore</b>             | 250 W               |
| <b>Rpm 50hz / 60hz</b>            | 1400 rpm            |
| <b>Net weight / Peso netto</b>    | 6,5 kg              |
| <b>Gross weight / Peso lordo</b>  | 7,8 kg              |
| <b>Dimensions</b>                 | 190 x 300 x 380h mm |
| <b>Feed Chute / Diametro tubo</b> | ø 60 mm             |

### SL98 Technical data

|                                   |                     |
|-----------------------------------|---------------------|
| <b>Voltage / Alimentazione</b>    | 220-240V · 50-60 hz |
| <b>Power / Motore</b>             | 300 W               |
| <b>Rpm 50hz / 60hz</b>            | 1400 rpm            |
| <b>Net weight / Peso netto</b>    | 8,5 kg              |
| <b>Gross weight / Peso lordo</b>  | 9,8 kg              |
| <b>Dimensions</b>                 | 190 x 300 x 360h mm |
| <b>Feed Chute / Diametro tubo</b> | ø 60 mm             |



S98



SL98

## Features

Juice Fit Design

Silent system

Light alloy body / Corpo in lega leggera

Safety cut-out / Protezione termica



Note: Additional voltage models available.



hand made  
in venice

## Ceado srl

---

Spinea - Venezia, Italy  
Via della Costituzione, 111  
T +39 041 5030767  
F +39 041 5038413  
info@ceado.com  
[www.ceado.com](http://www.ceado.com)



### Photo by:

Lorenzo Barutta

### Special thanks to:

Al Quèrto  
Arte in Cucina  
Hierbas Jesolo

### Certifications list



### © Ceado srl - all rights reserved - 03/2022

Data are indicative, referred to our internal tests.  
Designs and specifications of the products in this catalogue  
can be modified without prior notice.

*I dati riportati sono indicativi, riferiti a test interni.  
L'azienda si riserva di modificare in qualunque momento  
e senza preavviso le caratteristiche dei prodotti.*



Management  
System  
ISO 9001:2015


[www.tuv.com](http://www.tuv.com)  
ID: 9108637831





**think  
strong  
work  
better.**





**ceado**  
barcult ●